







D D -BEND LINE - 0.15 0.75 R0.06 2 PL С R0.13 6 PL 3.22 1.66 0.050 REF В **D4632-1F FLAT PATTERN STRIKER PLATE** 1) MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH 0.050 (18 GAUGE) THICK
PER MIL-S-5059
OR AMS 5513 (304) OR AMS 5524 (316)
OR ASTM A240 OR ASME SA240
REF DART SPEC M304S18GA DESIGN RF DART AEROSPACE USA, INC. Α DRAWN RF EUGENE, OR APPROVED 2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED DRAWING NO. CHECKED WK REV. B D4632 DD MFG. APPR. SHEET 5 OF 5 TITLE **APPROVED** HS SCALE 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX STRIKER PLATE 6) IDENTIFICATION: N/A DS-DE APPR. COPYRIGHT © 2012 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT 7) WEIGHT: 0.08 lbs DATE 17.06.12 8 3